## **Author Index**

Abraham, W.C., see Demmer, J. (17) 279
Akeson, R., see Reyes, A.A. (17) 201
Aldskogius, H., see Ernfors, P. (17) 217
Allen, J.M., see Le Van Thai, A. (17) 227
Almazan, G., see Figueiredo, B.C. (17) 258
Alonso, G., see Rage, F. (17) 287
Anders, M.W., see Patel, N.J. (17) 53
Asai, T., Wanaka, A., Kato, H., Masana, Y.,
Seo, M. and Tohyama, M.
Differential expression of two members
of FGF receptor gene family, FGFR-1
and FGFR-2 mRNA, in the adult rat
central nervous system (17) 174
Aulakh, C.S., see Lesch, K.P. (17) 31

Bain, G., Ramkumar, T.P., Cheng, J.M. and Gottlieb, D.I.
Expression of the genes coding for glutamic acid decarboxylase in pluripotent cell lines (17) 23
Baker, H., see Weiser, M. (17) 319
Barraclough, C.A., see Liaw, J.-J. (17) 112

Bergmann, B.M., see Landis, C.A. (17) 300 Berry, R.W., see Redman, R.S. (17) 245 Bloem, L.J., Chen, Y., Liu, J., Bye, L.S. and Yu. L.

Analysis of the promoter sequence and the transcription initiation site of the mouse 5-HT<sub>1C</sub> serotonin receptor gene

(17) 194
Brachet, P., see Smith, C.J. (17) 328
Bravo, R., see Herdegen, T. (17) 147
Bruce, J., Schwartz, M.L., Shneidman, P.S. and Schlaepfer, W.W.
Methylation and expression of neurofila-

ment genes in tissues and in cell lines of the mouse (17) 269

Bye, L.S., see Bloem, L.J. (17) 194

Carlson, S.G., see Mesco, E.R. (17) 160
Carrillo, A.J., see Signs, S.A. (17) 36
Chandrasekaran, K., see Fukuyama, R. (17) 17
Chen, Y., see Bloem, L.J. (17) 194
Cheng, J.M., see Bain, G. (17) 23

Cheng, J.M., see Bain, G. (17) 23 Collins, B.J., see Landis, C.A. (17) 300 Connelly, C.S., see Marchand, J.E. (17) 83 Coste, E., see Le Van Thai, A. (17) 227 Cribbs, L.L., see Landis, C.A. (17) 300 Cuello, A.C., see Figueiredo, B.C. (17) 258

Danoff, S.K., see Schell, M.J. (17) 212
Demmer, J., Dragunow, M., Lawlor, P.A.,
Mason, S.E., Leah, J.D., Abraham, W.C.
and Tate, W.P.
Differential expression of immediate
early genes after hippocampal long-term
potentiation in awake rats (17) 279
De Vellis, J., see Kumar, S. (17) 163
Dluzen, D.E., see Signs, S.A. (17) 36

Dragunow, M., see Demmer, J. (17) 279

Ernfors, P., Rosario, C.M., Merlio, J.-P., Grant, G., Aldskogius, H. and Persson, H. Expression of mRNAs for neurotrophin receptors in the dorsal root ganglion and

receptors in the dorsal root ganglion and spinal cord during development and following peripheral or central axotomy (17) 217

Fiallos-Estrada, C.E., see Herdegen, T. (17)

Figueiredo, B.C., Almazan, G., Ma, Y., Tetzlaff, W., Miller, F.D. and Cuello, A.C. Gene expression in the developing cerebellum during perinatal hypo- and hyperthyroidism (17) 258

Fine, R.E., see Johnson, R.J. (17) 9
Firkusny, I.R., see Jensen, F.E. (17) 185
Freeman, R.S., see Smith, C.J. (17) 328
Frey, P., see Solà, C. (17) 41
Fujita, K., see Morita, S. (17) 239
Fukuyama, R., Chandrasekaran, K. a

Fukuyama, R., Chandrasekaran, K. and Rapoport, S.I.

Nerve growth factor-induced neuronal differentiation is accompanied by differential induction and localization of the amyloid precursor protein (APP) in PC12 cells and variant PC12S cells (17) 17

Fullone, J.S., see Patel, N.J. (17) 53

Furuyama, T., Morita, Y., Inagaki, S. and Takagi, H.

Distribution of I, II and III subtypes of voltage-sensitive Na<sup>+</sup> channel mRNA in the rat brain (17) 169

Gall, C.M., see Lauterborn, J.C. (17) 59 Gall, C.M., see Meberg, P.J. (17) 295 García-Ladona, F.J., see Rocamora, N. (17)

García-Ladona, F.J., see Solà, C. (17) 41 Ghetti, B., see Solà, C. (17) 340 Gluckman, P.D., see Klempt, M. (17) 347 Gottlieb, D.I., see Bain, G. (17) 23 Grainger, R.M., see Saha, M.S. (17) 307 Grant, G., see Ernfors, P. (17) 217

Han, E., see Joseph, R. (17) 70
Hart, R.P., see Riley, L.A. (17) 251
Herdegen, T., Fiallos-Estrada, C.E., Bravo, R. and Zimmermann, M.
Colocalisation and covariation of c-JUN transcription factor with galanin in primary afferent neurons and with CGRP in spinal motoneurons following transection of rat sciatic nerve (17) 147
Hicks, K.J., see Koistinaho, J. (17) 179
Hidaka, H., see Morita, S. (17) 239

Ichimura, T., see Watanabe, M. (17) 135 Igarashi, K., see Shintani, A. (17) 129 Inagaki, S., see Furuyama, T. (17) 169

Hill, J.L., see Lesch, K.P. (17) 31

Isackson, P.J., see Lauterborn, J.C. (17) 59 Isobe, T., see Watanabe, M. (17) 135

Jensen, F.E., Firkusny, I.R. and Mower, G.D. Differences in c-fos immunoreactivity due to age and mode of seizure induction (17) 185

Joh, T.H., see Weiser, M. (17) 319 Johnson, R.J., Pyun, H.Y., Lytton, J. and Fine, R.E.

Differences in the subcellular localization of calreticulin and organellar Ca<sup>2+</sup>-ATPase in neurons (17) 9

Johnson Jr., E.M., see Smith, C.J. (17) 328 Jonakait, G.M., see Riley, L.A. (17) 251 Joseph, J.A., see Mesco, E.R. (17) 160 Joseph, R., Li, W. and Han, E.

Neuronal death, cytoplasmic calcium and internucleosomal DNA fragmentation: evidence for DNA fragments being released from cells (17) 70

Joy, A.M., Siegel, H.N. and Lukas, R.J. Photoaffinity labeling of muscle-type nicotinic acetylcholine receptors and neuronal/nicotinic α-bungarotoxin binding sites with a derivative of αbungarotoxin (17) 95

Kaisho, Y., see Shintani, A. (17) 129 Kato, H., see Asai, T. (17) 174

Kimura, N., Kurosawa, N., Kondo, K. and Tsukada, Y.

Molecular cloning of the kainate-binding protein and calmodulin genes which are induced by an imprinting stimulus in ducklings (17) 351

Kiyama, H., see Shida, T. (17) 335

Klempt, M., Klempt, N.D. and Gluckman, P.D.

Hypoxia and hypoxia/ischemia affect the expression of insulin-like growth factor binding protein 2 in the developing rat brain (17) 347

 Klempt, N.D., see Klempt, M. (17) 347
 Kobayashi, K., see Morita, S. (17) 239
 Koistinaho, J., Hicks, K.J. and Sagar, S.M.
 Tetrodotoxin enhances light-induced cfos gene expression in the rabbit retina

Kondo, E., see Shida, T. (17) 335 Kondo, H., see Watanabe, M. (17) 135 Kondo, K., see Kimura, N. (17) 351 Kream, R.M., see Marchand, J.E. (17) 83 Krey, L.C., see Weesner, G.D. (17) 77

(17) 179

Kumar, S., Peña, L.A. and De Vellis, J.

CNS glial cells express neurotrophin receptors whose levels are regulated by

NGF (17) 163

Kurosawa, N., see Kimura, N. (17) 351 Kuwano, R., see Watanabe, M. (17) 135

Landis, C.A., Collins, B.J., Cribbs, L.L., Sukhatme, V.P., Bergmann, B.M., Rechtschaffen, A. and Smalheiser, N.R.

## **Author Index**

Abraham, W.C., see Demmer, J. (17) 279
Akeson, R., see Reyes, A.A. (17) 201
Aldskogius, H., see Ernfors, P. (17) 217
Allen, J.M., see Le Van Thai, A. (17) 227
Almazan, G., see Figueiredo, B.C. (17) 258
Alonso, G., see Rage, F. (17) 287
Anders, M.W., see Patel, N.J. (17) 53
Asai, T., Wanaka, A., Kato, H., Masana, Y.,
Seo, M. and Tohyama, M.
Differential expression of two members
of FGF receptor gene family, FGFR-1
and FGFR-2 mRNA, in the adult rat
central nervous system (17) 174
Aulakh, C.S., see Lesch, K.P. (17) 31

Bain, G., Ramkumar, T.P., Cheng, J.M. and Gottlieb, D.I.
Expression of the genes coding for glutamic acid decarboxylase in pluripotent cell lines (17) 23
Baker, H., see Weiser, M. (17) 319
Barraclough, C.A., see Liaw, J.-J. (17) 112

Bergmann, B.M., see Landis, C.A. (17) 300 Berry, R.W., see Redman, R.S. (17) 245 Bloem, L.J., Chen, Y., Liu, J., Bye, L.S. and Yu. L.

Analysis of the promoter sequence and the transcription initiation site of the mouse 5-HT<sub>1C</sub> serotonin receptor gene

(17) 194
Brachet, P., see Smith, C.J. (17) 328
Bravo, R., see Herdegen, T. (17) 147
Bruce, J., Schwartz, M.L., Shneidman, P.S. and Schlaepfer, W.W.
Methylation and expression of neurofila-

ment genes in tissues and in cell lines of the mouse (17) 269

Bye, L.S., see Bloem, L.J. (17) 194

Carlson, S.G., see Mesco, E.R. (17) 160
Carrillo, A.J., see Signs, S.A. (17) 36
Chandrasekaran, K., see Fukuyama, R. (17) 17
Chen, Y., see Bloem, L.J. (17) 194
Cheng, J.M., see Bain, G. (17) 23

Cheng, J.M., see Bain, G. (17) 23 Collins, B.J., see Landis, C.A. (17) 300 Connelly, C.S., see Marchand, J.E. (17) 83 Coste, E., see Le Van Thai, A. (17) 227 Cribbs, L.L., see Landis, C.A. (17) 300 Cuello, A.C., see Figueiredo, B.C. (17) 258

Danoff, S.K., see Schell, M.J. (17) 212
Demmer, J., Dragunow, M., Lawlor, P.A.,
Mason, S.E., Leah, J.D., Abraham, W.C.
and Tate, W.P.
Differential expression of immediate
early genes after hippocampal long-term
potentiation in awake rats (17) 279
De Vellis, J., see Kumar, S. (17) 163
Dluzen, D.E., see Signs, S.A. (17) 36

Dragunow, M., see Demmer, J. (17) 279

Ernfors, P., Rosario, C.M., Merlio, J.-P., Grant, G., Aldskogius, H. and Persson, H. Expression of mRNAs for neurotrophin receptors in the dorsal root ganglion and

receptors in the dorsal root ganglion and spinal cord during development and following peripheral or central axotomy (17) 217

Fiallos-Estrada, C.E., see Herdegen, T. (17)

Figueiredo, B.C., Almazan, G., Ma, Y., Tetzlaff, W., Miller, F.D. and Cuello, A.C. Gene expression in the developing cerebellum during perinatal hypo- and hyperthyroidism (17) 258

Fine, R.E., see Johnson, R.J. (17) 9
Firkusny, I.R., see Jensen, F.E. (17) 185
Freeman, R.S., see Smith, C.J. (17) 328
Frey, P., see Solà, C. (17) 41
Fujita, K., see Morita, S. (17) 239
Fukuyama, R., Chandrasekaran, K. a

Fukuyama, R., Chandrasekaran, K. and Rapoport, S.I.

Nerve growth factor-induced neuronal differentiation is accompanied by differential induction and localization of the amyloid precursor protein (APP) in PC12 cells and variant PC12S cells (17) 17

Fullone, J.S., see Patel, N.J. (17) 53

Furuyama, T., Morita, Y., Inagaki, S. and Takagi, H.

Distribution of I, II and III subtypes of voltage-sensitive Na<sup>+</sup> channel mRNA in the rat brain (17) 169

Gall, C.M., see Lauterborn, J.C. (17) 59 Gall, C.M., see Meberg, P.J. (17) 295 García-Ladona, F.J., see Rocamora, N. (17)

García-Ladona, F.J., see Solà, C. (17) 41 Ghetti, B., see Solà, C. (17) 340 Gluckman, P.D., see Klempt, M. (17) 347 Gottlieb, D.I., see Bain, G. (17) 23 Grainger, R.M., see Saha, M.S. (17) 307 Grant, G., see Ernfors, P. (17) 217

Han, E., see Joseph, R. (17) 70
Hart, R.P., see Riley, L.A. (17) 251
Herdegen, T., Fiallos-Estrada, C.E., Bravo, R. and Zimmermann, M.
Colocalisation and covariation of c-JUN transcription factor with galanin in primary afferent neurons and with CGRP in spinal motoneurons following transection of rat sciatic nerve (17) 147
Hicks, K.J., see Koistinaho, J. (17) 179
Hidaka, H., see Morita, S. (17) 239

Ichimura, T., see Watanabe, M. (17) 135 Igarashi, K., see Shintani, A. (17) 129 Inagaki, S., see Furuyama, T. (17) 169

Hill, J.L., see Lesch, K.P. (17) 31

Isackson, P.J., see Lauterborn, J.C. (17) 59 Isobe, T., see Watanabe, M. (17) 135

Jensen, F.E., Firkusny, I.R. and Mower, G.D. Differences in c-fos immunoreactivity due to age and mode of seizure induction (17) 185

Joh, T.H., see Weiser, M. (17) 319 Johnson, R.J., Pyun, H.Y., Lytton, J. and Fine, R.E.

Differences in the subcellular localization of calreticulin and organellar Ca<sup>2+</sup>-ATPase in neurons (17) 9

Johnson Jr., E.M., see Smith, C.J. (17) 328 Jonakait, G.M., see Riley, L.A. (17) 251 Joseph, J.A., see Mesco, E.R. (17) 160 Joseph, R., Li, W. and Han, E.

Neuronal death, cytoplasmic calcium and internucleosomal DNA fragmentation: evidence for DNA fragments being released from cells (17) 70

Joy, A.M., Siegel, H.N. and Lukas, R.J. Photoaffinity labeling of muscle-type nicotinic acetylcholine receptors and neuronal/nicotinic α-bungarotoxin binding sites with a derivative of αbungarotoxin (17) 95

Kaisho, Y., see Shintani, A. (17) 129 Kato, H., see Asai, T. (17) 174

Kimura, N., Kurosawa, N., Kondo, K. and Tsukada, Y.

Molecular cloning of the kainate-binding protein and calmodulin genes which are induced by an imprinting stimulus in ducklings (17) 351

Kiyama, H., see Shida, T. (17) 335

Klempt, M., Klempt, N.D. and Gluckman, P.D.

Hypoxia and hypoxia/ischemia affect the expression of insulin-like growth factor binding protein 2 in the developing rat brain (17) 347

 Klempt, N.D., see Klempt, M. (17) 347
 Kobayashi, K., see Morita, S. (17) 239
 Koistinaho, J., Hicks, K.J. and Sagar, S.M.
 Tetrodotoxin enhances light-induced cfos gene expression in the rabbit retina

Kondo, E., see Shida, T. (17) 335 Kondo, H., see Watanabe, M. (17) 135 Kondo, K., see Kimura, N. (17) 351 Kream, R.M., see Marchand, J.E. (17) 83 Krey, L.C., see Weesner, G.D. (17) 77

(17) 179

Kumar, S., Peña, L.A. and De Vellis, J.

CNS glial cells express neurotrophin receptors whose levels are regulated by

NGF (17) 163

Kurosawa, N., see Kimura, N. (17) 351 Kuwano, R., see Watanabe, M. (17) 135

Landis, C.A., Collins, B.J., Cribbs, L.L., Sukhatme, V.P., Bergmann, B.M., Rechtschaffen, A. and Smalheiser, N.R. Expression of Egr-1 in the brain of sleep deprived rats (17) 300

Lauterborn, J.C., Isackson, P.J., Montalvo, R. and Gall, C.M.

In situ hybridization localization of choline acetyltransferase mRNA in adult rat brain and spinal cord (17) 59

Lawlor, P.A., see Demmer, J. (17) 279 Leah, J.D., see Demmer, J. (17) 279

Lesch, K.P., Aulakh, C.S., Wolozin, B.L., Tolliver, T.J., Hill, J.L. and Murphy, D.L. Regional brain expresssion of serotonin transporter mRNA and its regulation by reuptake inhibiting antidepressants (17) 31

Le Van Thai, A., Coste, E., Allen, J.M., Palmiter, R.D. and Weber, M.J. Identification of a neuron-specific promoter of human aromatic L-amino acid decarboxylase gene (17) 227

Li, W., see Joseph, R. (17) 70 Liaw, J.-J. and Barraclough, C.A.

N-Methyl-D,L-aspartic acid differentially affects LH release and LHRH mRNA levels in estrogen-treated ovariectomized control and androgen-sterilized rats (17) 112

Liu, J., see Bloem, L.J. (17) 194 Lukas, R.J., see Joy, A.M. (17) 95 Lytton, J., see Johnson, R.J. (17) 9

Ma, Y., see Figueiredo, B.C. (17) 258
Marchand, J.E., Zaccheo, T.S., Connelly, C.S. and Kream, R.M.
Selective in situ hybridization histochemical analyses of alternatively spliced mR-NAs encoding β- and γ-preprotachykinins in rat central nervous system (17)

Masana, Y., see Asai, T. (17) 174 Mason, S.E., see Demmer, J. (17) 279 Meberg, P.J., Gall, C.M. and Routtenberg, A.

Induction of F1/GAP-43 gene: expression in hippocampal granule cells after seizures (17) 295

Mengod, G., see Rocamora, N. (17) 1 Mengod, G., see Solà, C. (17) 41

Mengod, G., see Solà, C. (17) 41 Mengod, G., see Solà, C. (17) 340

Merlio, J.-P., see Ernfors, P. (17) 217

Mesco, E.R., Carlson, S.G., Joseph, J.A. and Roth, G.S.

Decreased striatal D<sub>2</sub> dopamine receptor mRNA synthesis during aging (17) 160

Miller, F.D., see Figueiredo, B.C. (17) 258 Mizuguchi, T., see Morita, S. (17) 239

Montalvo, R., see Lauterborn, J.C. (17) 59Mori, N., Tajima, Y., Sakaguchi, H., Vandenbergh, D.J., Nawa, H. and Salvaterra, P.M.

Partial cloning of the rat choline acetyltransferase gene and in situ localization of its transcripts in the cell body of cholinergic neurons in the brain stem and spinal cord (17) 101

Morita, S., Kobayashi, K., Mizuguchi, T., Yamada, K., Nagatsu, I., Titani, K., Fujita, K., Hidaka, H. and Nagatsu, T. The 5'-flanking region of the human dopamine  $\beta$ -hydroxylase gene promotes neuron subtype-specific gene expression in the central nervous system of transgenic mice (17) 239

Morita, Y., see Furuyama, T. (17) 169 Mower, G.D., see Jensen, F.E. (17) 185 Murphy, D.L., see Lesch, K.P. (17) 31

Nagatsu, I., see Morita, S. (17) 239 Nagatsu, T., see Morita, S. (17) 239 Nakamura, H., see Tsuneishi, S. (17) 119 Nawa, H., see Mori, N. (17) 101 Neveu, I., see Smith, C.J. (17) 328

Ohno, K., see Shida, T. (17) 335 Ono, Y., see Shintani, A. (17) 129 Osborne, P., see Smith, C.J. (17) 328

Palacios, J.M., see Rocamora, N. (17) 1
Palacios, J.M., see Solà, C. (17) 41
Palacios, J.M., see Solà, C. (17) 340
Palmiter, R.D., see Le Van Thai, A. (17) 227
Patel, N.J., Fullone, J.S. and Anders, M.W.
Brain uptake of S-(1,2-dichlorovinyl)glu
tathione and S-(1,2-dichlorovinyl)-L-cysteine, the glutathione and cysteine Sconjugates of the neurotoxin dichloroacetylene (17) 53

Peña, L.A., see Kumar, S. (17) 163 Persson, H., see Ernfors, P. (17) 217 Pfaff, D.W., see Weesner, G.D. (17) 77 Probst, A., see Solà, C. (17) 41 Pyun, H.Y., see Johnson, R.J. (17) 9

Rage, F., Alonso, G. and Tapia-Arancibia, L.

Stimulatory effect of N-methyl-D-aspartate on somatostatin gene expression in cultured hypothalamic neurons (17) 287

Ramkumar, T.P., see Bain, G. (17) 23 Rapoport, S.I., see Fukuyama, R. (17) 17 Rechtschaffen, A., see Landis, C.A. (17) 300 Redman, R.S. and Berry, R.W.

Temperature-dependent stimulation and inhibition of adenylate cyclase by *Aplysia* bag cell peptides (17) 245

Reyes, A.A., Schulte, S.V., Small, S. and Akeson, R.

Distinct NCAM splicing events are differentially regulated during rat brain development (17) 201

Riley, L.A., Jonakait, G.M. and Hart, R.P. Serotonin modulates the levels of mR-NAS coding for thyrotropin-releasing hormone and preprotachykinin by different mechanisms in medullary raphe neurons (17) 251

Rocamora, N., García-Ladona, F.J., Palacios, J.M. and Mengod, G. Differential expression of brain-derived neurotrophic factor, neurotrophin-3, and low-affinity nerve growth factor receptor during the postnatal development of the

rat cerebellar system (17) 1 Rosario, C.M., see Ernfors, P. (17) 217 Ross, C.A., see Schell, M.J. (17) 212 Roth, G.S., see Mesco, E.R. (17) 160 Routtenberg, A., see Meberg, P.J. (17) 295

Sagar, S.M., see Koistinaho, J. (17) 179 Saha, M.S. and Grainger, R.M.

Early opsin expression in *Xenopus* embryos precedes photoreceptor differentiation (17) 307

Saika, T., see Shida, T. (17) 335 Sakaguchi, H., see Mori, N. (17) 101 Salvaterra, P.M., see Mori, N. (17) 101 Sano, K., see Tsuneishi, S. (17) 119 Sasada, R., see Shintani, A. (17) 129

Schell, M.J., Danoff, S.K. and Ross, C.A. Inositol (1,4,5)-trisphosphate receptor: characterization of neuron-specific alternative splicing in rat brain and peripheral tissues (17) 212

Schlaepfer, W.W., see Bruce, J. (17) 269 Schulte, S.V., see Reyes, A.A. (17) 201 Schwartz, M.L., see Bruce, J. (17) 269 Seo, M., see Asai, T. (17) 174

Shida, T., Tokunaga, A., Kondo, E., Ueda, Y., Ohno, K., Saika, T., Kiyama, H. and Tohyama, M.

Expression of muscarinic and nicotinic receptor mRNA in the salivary gland of rats: a study by in situ hybridization histochemistry (17) 335

Shintani, A., Ono, Y., Kaisho, Y., Sasada, R. and Igarashi, K.
Identification of the functional regulatory region of the neurotrophin-3 gene

promoter (17) 129 Shneidman, P.S., see Bruce, J. (17) 269 Siegel, H.N., see Joy, A.M. (17) 95

Signs, S.A., Dluzen, D.E. and Carrillo, A.J. Para-chlorophenylalanine treatment inhibits the expression of vasoactive intestinal peptide messenger RNA in rat anterior pituitary (17) 36

Smalheiser, N.R., see Landis, C.A. (17) 300 Small, S., see Reyes, A.A. (17) 201

Smith, C.J., Johnson Jr., E.M., Osborne, P., Freeman, R.S., Neveu, I. and Brachet, P. NGF deprivation and neuronal degeneration trigger altered β-amyloid precursor protein gene expression in the rat superior cervical ganglia in vivo and in vitro (17) 328

Solà, C., García-Ladona, F.J., Mengod, G., Probst, A., Frey, P. and Palacios, J.M. Increased levels of the Kunitz protease inhibitor-containing βAPP mRNAs in rat brain following neurotoxic damage (17)

Solà, C., Mengod, G., Ghetti, B., Palacios, J.M. and Triarhou, L.C.
Regional distribution of the alternatively spliced isoforms of βAPP RNA transcript in the brain of normal, heterozygous and homozygous weaver mutant mice as revealed by in situ hybridization histochemistry (17) 340

Sukhatme, V.P., see Landis, C.A. (17) 300

Tajima, Y., see Mori, N. (17) 101 Takagi, H., see Furuyama, T. (17) 169 Takahashi, Y., see Watanabe, M. (17) 135 Takemura, M., see Walther, D. (17) 155 Tapia-Arancibia, L., see Rage, F. (17) 287 Tate, W.P., see Demmer, J. (17) 279 Tetzlaff, W., see Figueiredo, B.C. (17) 258 Titani, K., see Morita, S. (17) 239 Tohyama, M., see Asai, T. (17) 174 Tohyama, M., see Shida, T. (17) 335 Tokunaga, A., see Shida, T. (17) 335 Tolliver, T.J., see Lesch, K.P. (17) 31 Triarhou, L.C., see Solà, C. (17) 340 Tsukada, Y., see Kimura, N. (17) 351 Tsuneishi, S., Sano, K. and Nakamura, H. Serum depletion increases the neurofilament protein mRNA levels in a neuroblastoma cell line, GOTO (17) 119

Ueda, Y., see Shida, T. (17) 335 Uhl, G., see Walther, D. (17) 155 Vandenbergh, D.J., see Mori, N. (17) 101

Walther, D., Takemura, M. and Uhl, G.
Fos family member changes in nucleus caudalis neurons after primary afferent stimulation: enhancement of fos B and c-fos (17) 155

Wanaka, A., see Asai, T. (17) 174
Watanabe, M., Isobe, T., Ichimura, T.,
Kuwano, R., Takahashi, Y. and Kondo,
H.

Molecular cloning of rat cDNAs for  $\beta$  and  $\gamma$  subtypes of 14-3-3 protein and developmental changes in expression of their mRNAs in the nervous system (17) 135

Weber, M.J., see Le Van Thai, A. (17) 227 Weesner, G.D., Krey, L.C. and Pfaff, D.W.

 $\alpha_1$  Adrenergic regulation of estrogen-induced increases in luteinizing hormonereleasing hormone mRNA levels and release (17) 77

Weiser, M., Baker, H., Wessel, T.C. and Joh, T.H.

Axotomy-induced differential gene induction in neurons of the locus ceruleus and substantia nigra (17) 319

Wessel, T.C., see Weiser, M. (17) 319 Wolozin, B.L., see Lesch, K.P. (17) 31

Yamada, K., see Morita, S. (17) 239 Yu, L., see Bloem, L.J. (17) 194

Zaccheo, T.S., see Marchand, J.E. (17) 83 Zimmermann, M., see Herdegen, T. (17) 147

(contents continued)

Regional distribution of the alternatively spliced isoforms of βAPP RNA transcript in the brain of normal, heterozygous and homozygous weaver mutant mice as revealed by in situ hybridization histochemistry

C. Solà, G. Mengod, B. Ghetti, J.M. Palacios and L.C. Triarhou (Switzerland, Spain, USA)

Hypoxia and hypoxia/ischemia affect the expression of insulin-like growth factor binding protein 2 in the developing rat brain

M. Klempt, N.D. Klempt and P.D. Gluckman (New Zealand)

Molecular cloning of the kainate-binding protein and calmodulin genes which are induced by an imprinting stimulus in ducklings

N. Kimura, N. Kurosawa, K. Kondo and Y. Tsukada (Japan)

356

